

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	42	(array dimension\$3) near2 (queue link\$2 adj list) same packet same (order\$3 sequence)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:04
L12	301	(packet cell) near2 (distribut\$3 enqueue enqueue\$4 add\$3 insert \$3) with (queue link \$2 adj list) with (order\$3 sequence round adj robin round \$robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:13
L14	29	(packet cell) near2 (distribut\$3 enqueue enqueue\$4 add\$3 insert \$3) with (queue link \$2 adj list) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:20
L15	17	(packet cell) near2 (enqueue enqueue\$4 add \$3 insert\$3) with (queue link\$2 adj list) with (round adj robin round \$robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:21
L16	29	(packet cell) near2 (plac\$3 enqueue enqueue\$4 add\$3 insert \$3) with (queue link \$2 adj list) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:21
L18	0	(packet cell) near2 (distribut\$3 enqueue enqueue\$4 add\$3 insert \$3) with (sub\$queue) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:36
L19	0	(packet cell) near2 (distribut\$3 enqueue enqueue\$4 add\$3 insert \$3) with (sub adj queue) with (round adj robin round \$robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:36

L20	0	(packet cell) near2 (distribut\$3 enqueue enqueu\$4 add\$3 insert \$3) with (array near2 queue) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:36
L21	0	(packet cell) near2 (distribut\$3 enqueue enqueu\$4 add\$3 insert \$3) with (array) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:37
L22	180	(packet cell) near2 (distribut\$3 enqueue enqueu\$4 add\$3 insert \$3) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:37
L23	56	(packet cell) near2 (add\$3 enqueue enqueu \$4 insert\$3) with (round adj robin round\$robin)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 09:38
L25	9	("6680954").URPN.	USPAT	OR	ON	2008/12/04 10:09
L26	5823	(370/389).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/12/04 10:20
L27	1151	(370/394).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/12/04 10:20
L28	3159	(370/412).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/12/04 10:20
L29	940	(707/206).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/12/04 10:20
L30	925	(719/313).CCLS.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2008/12/04 10:20
L31	1660	(719/328).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/12/04 10:20
L32	613	(719/330).CCLS.	US-PGPUB; USPAT	OR	OFF	2008/12/04 10:20
S220	10963	(line adj card line \$card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:19

S222	117	(line adj card line \$card) and (queue sub \$queue sub adj queue link\$3 adj list link \$list) with (keep\$3 consistent maintain \$3) near3 (order\$3 sequenc\$4)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:20
S223	299	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (keep\$3 consistent maintain\$3) near3 (order\$3 sequenc\$4) with packet	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:36
S224	302	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (keep\$3 consistent maintain\$3 global\$4) near3 (order\$3 sequenc\$4) with packet	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 12:37
S227	15	("6167445" "6175570" "6188698" "6272151" "6356548" "6408005" "6424624" "6430191" "6434624" "6483839" "6512743" "6546017" "6657960" "6687781" "6795865").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 13:00
S228	26	("5724352").URPN.	USPAT	OR	ON	2008/12/03 13:04
S229	140	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (keep\$3 consistent maintain\$3 global\$4) near (order\$3 sequenc \$4) with packet	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:06
S231	66	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (keep\$3 consistent maintain\$3 global\$4) adj (order\$3 sequenc \$4) with packet	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:08

S232	78	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (keep\$3 consistent maintain\$3 global\$4) adj (order\$3 sequenc \$4) with (cell packet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:08
S234	1	("7349399").PN.	US-PGPUB; USPAT	OR	OFF	2008/12/03 13:13
S235	8	("20030053461" "20050089038" "4901233" "5197132" "6327625" "6781992" "7072342" "7088719").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/03 13:14
S238	1	("6570850").PN.	US-PGPUB; USPAT	OR	OFF	2008/12/03 13:27
S239	37	("6570850").URPN.	USPAT	OR	ON	2008/12/03 13:27
S240	61	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (preserv\$4 original \$3) near (order\$3 sequenc\$4) with packet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:30
S242	1	("6147996").PN.	US-PGPUB; USPAT	OR	OFF	2008/12/03 13:38
S244	33	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (round\$robin round adj robin) near (order sequence) with packet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:40
S245	684	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (round\$robin round adj robin) with (cell packet)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:46
S246	103	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (round\$robin round adj robin) with (cell packet) and (line adj card line \$card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:46

S247	20	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with ("same") adj (order sequence) with (cell packet) and (line adj card line\$card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:53
S248	348	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (packet) same (line adj card line\$card)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:56
S249	5	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (packet) same (line adj card line\$card) same (maintain\$3 preserv\$3 "same") near2 (order\$3 sequenc\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:56
S251	8	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (round\$robin round adj robin) with packet with counter	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 13:59
S252	540	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (round\$robin round adj robin) with packet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:16
S253	34	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (round\$robin round adj robin) with (input\$4 enqueue\$4 add \$3 insert\$4) with (remov\$3 output\$4 dequeue\$4) with packet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:17
S255	1802	(round\$robin round adj robin) with packet	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:27
S256	233	(round\$robin round adj robin) with packet near2 schedul \$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:27

S257	195	(round\$robin round adj robin) with packet near2 schedul \$3 and queue	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:27
S258	40	(round\$robin round adj robin) with packet near2 schedul \$3 and queue and (link\$list link\$2 adj list)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 15:28
S260	20	(queue sub\$queue sub adj queue link\$3 adj list link\$list) with (packet) with (distribut\$4) with (round\$robin round adj robin)	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:02
S261	26	("6111877").URPN.	USPAT	OR	ON	2008/12/03 16:08
S262	826	(round\$robin round adj robin) near2 queue\$4	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:18
S263	268	(round\$robin round adj robin) near2 queue\$4 same packet	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:18
S264	826	(round\$robin round adj robin) near2 queue\$4 withpacket	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:18
S265	152	(round\$robin round adj robin) near2 queue\$4 with packet	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:18
S267	272	flow with distribut \$4 with queue	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:42
S268	17	flow with distribut \$4 near packet with queue	US-PGPUB; USPAT; USOCR; EP0; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:42

S269	8	fcfs with queue\$3 with packet	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:52
S270	18	("20010012272" "20020097726" "20020114334" "20050175014" "5689508" "5905730" "5917822" "5956340" "6041059" "6072800" "6134217" "6182142" "6208652" "6215769" "6862265" "6862291" "6975638" "7058974").PN.	US-PCPUB; USPAT; USOCR	OR	ON	2008/12/03 17:17
S271	5	enqueue\$4 near4 (round \$robin round adj robin) and dequeue\$3 near4 (round\$robin round adj robin)	US-PCPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 17:24

12/4/08 10:21:12 AM

C:\Documents and Settings\LZhen\My Documents\EAST\workspaces\09845606C.wsp